



XALKIS S.A., Vasiliko Evias, Greece
p.c. 34002, tel : +302221055080, fax : +302221053248

13

DoPX1

Coloured Clay roofing tiles

EN 1304


Roof coverings



ROMAN

Mechanical resistance	Complies
External fire performance	Deemed to satisfy
Reaction to fire	Class A1
Water impermeability	Category 1 , method 2
Dimensions deviations	Complies
Durability	Level 2(90), Method E

SINGLE-SIDED ADHESIVE TAPE FOR MEMBRANE OVERLAPPINGS OR CONTINUOUS JOINTS FOR OUTDOOR USE



- 4-layer single-sided acrylic tape with separation film.
- Resistant to heat and cold.
- Sealing meets the airtightness requirements of DIN 4108/7 standard "airtightness of buildings".

PROPERTY	STANDARD	U/M	VALUE
Total thickness	DIN EN 1942	mm	0,34
Tear strength	DIN EN 14410	N/25 mm	>50
Expansion capacity	DIN EN 14410	%	150/200
Adhesiveness	DIN EN 1939	N/25 mm	>30
Thermal resistance	-	°C	-40/+80
Working temperature	-	°C	-10/+40
UV resistance	-	months	4
Storage	-	°C	dry from +5/+25 and covered

DELIVERY VOLUME				
Code	D52114	D52116	D52117	D52118
Liner [mm]	-	-	75/75 mm	50/50 mm
Width [mm]	60 mm	100 mm	150 mm	100 mm
Length [m]	25 m	25 m	25 m	25 m
Pieces/Package	10	6	4	6

Support	polyethylene film
Reinforcing layer	reinforcing PET grid
Separation layer	silicone paper
Glue	acrylate dispersion without solvents

APPLICATIONS

Ensures airtightness of overlapping junctions of synthetic or bituminous membrane. Borders and components prove to be airtight according to DIN 4108/7 standards.

APPLICATION TIPS

- Can be applied to smooth supports such as non-woven fabrics, wood, untreated OSB panels.
- We recommend the use of PRIMER for rough surfaces like rough OSB panels, concrete or masonry without plaster.
- The surfaces must be dry and free of dust and solvents such as grease or oil.

CERTIFICATE



Management system as per
EN ISO 9001:2008

In accordance with TÜV AUSTRIA CERT procedures, it is hereby certified that



Mayr-Melnhof Holz Reuthe GmbH
Vorderreuthe 57
6870 Reuthe
Austria

applies a management system in line with the above standard for the following scope

production and distribution of products and components from glue laminated timber, solid wood panels and formwork timber beams

Certificate Registration No. 20 100 52000864

Valid until 2017-05-09

Certification Body
at TÜV AUSTRIA CERT GMBH

Vienna, 2014-05-08


This certification was conducted in accordance with TÜV AUSTRIA CERT auditing and certification procedures and is subject to regular surveillance audits.

TÜV AUSTRIA CERT GMBH Krugerstraße 16 A-1015 Wien www.tuv.at



ΠΙΣΤΟΠΟΙΗΣΗ ΓΙΑ

ΕΥΛΑ



CERTIFICATE

TÜV
AUSTRIA

**Environmental management system as per
EN ISO 14001:2004**

In accordance with TÜV AUSTRIA CERT procedures, it is hereby certified that



**ADLER-Werk Lackfabrik
Johann Berghofer GmbH & Co KG
Bergwerkstraße 22
A-6130 Schwaz**

applies a management system in line with the above standard for the
following scope

**development, production and marketing of furniture paints &
varnishes, window coating systems, architectural paints and
wood preservatives**

Certificate Registration No. 20 104 10216

Valid until 2016-05-20

Certification Body
at TÜV AUSTRIA CERT GMBH

Vienna, 2013-07-09

This certification was conducted in accordance with TÜV AUSTRIA CERT auditing and certification
procedures and is subject to regular surveillance audits.

TÜV AUSTRIA CERT GMBH Krugerstraße 16 A-1015 Wien www.tuv.at

